



High Performance Cameras with an Eye for Detail



XP3 Analog Cameras

CamPlus™ 2 Cameras
and DM2 Domes



DR2 Rugged Dome
Analog Cameras



High Performance Cameras

For Fixed Video Surveillance of Any Location in Any Kind of Light

See More Regardless of Lighting Conditions

Designed for remarkable performance in low and high-contrast lighting, GE High Performance analog cameras give you the power to monitor very corner of your environment at all times — simply and affordably. They let you track productivity, oversee the safety of employees and customers, protect property, and collect detailed visual records that can serve as convincing legal evidence.

Three complementary architectures, available in traditional box and dome styles, span the entire application spectrum.

XP3 Architecture

The UltraView XP3 and DM2/DR2 extreme Wide Dynamic Range (WDR) domes are ultra high-resolution cameras that penetrate high contrast lighting with an extreme wide dynamic range of 95+ dB, a low light sensitivity as low as 0.5 Lux, and up to 540 TVL resolution.

HDR Architecture

CamPlus 2 and DM2/DR2 moderate High Dynamic Range (HDR) domes offer high sensitivity and provide crisp detail in ordinary, contrasting, or extreme low-lighting (down to 0.05 Lux) conditions. The dynamic range of our HDR cameras is 55+ dB, with a resolution up to 520 TVL.

EVR Architecture

EVR is available with our DM2/DR2 and CamPlus 2 cameras, which feature a resolution of 540 TVL.




General High Performance Camera Applications:

The ability to illuminate and monitor high-contrast areas make these cameras ideal for applications such as retail, commercial, financial institutions and hospitals.



Retail and Convenience Stores



Commercial Buildings



Hospital Hallways and Surgical Suites

Typical High Performance Camera Solution Configuration



Customize Your High Performance Camera Solution

GE high performance cameras can be deployed to specific locations within your organization, and integrated as a part of a larger security solution. When connected to a hybrid recorder such as GE's SymDec™ 16 plus 4 or SymSafe™, they work with digital cameras to form a seamless analog/digital security system.

Specific Applications:

XP3 cameras are ideal for mixed or back lighting, such as loading docks and ATMs. HDR low-light capabilities are ideal for parking garages or alleyways.



ATMs




Parking Garage

Advanced Features for Enhanced Security



Choose Traditional or Dome
GE offers a wide variety of housings and installation options to best fit your operation.



Superior Image Technology

XP3 cameras, featuring Xposure technology, read the light hitting each sensor pixel several times, revealing fine details. The CamPlus 2 HDR takes two images every frame, combining them for the best image quality.

Optimal Performance in All Environments

XP3 cameras are dual-temperature calibrated to intelligently adjust gain, white balance and other settings based on its operating temperature.



Domes for All Occasions

As surveillance technology moves from traditional cameras to domes, GE continues to lead the way, offering our most popular cameras in a variety of dome styles.



GE
Security

Americas
503-885-5700
888-GE-SECURITY
(437-3287)

Asia
tel 852-2907-8108
fax 852-2142-5063

Australia
tel 61-3-9259-4700
fax 61-3-9259-4799

Europe
tel 32-2-725-11-20
fax 32-2-721-40-47

Latin America
tel 305-593-4301
fax 305-593-4300

www.gesecurity.com/video

© 2007 General Electric Company
All Rights Reserved.

Uncompromising Quality and Unlimited Possibilities

GE High Performance cameras are compatible with a vast array of DVRs, software options and servers.



Hybrid DVRs

GE High Performance cameras are fully compatible with the analog inputs on our family of Hybrid Digital Video Recorders, including our SymDec™ 16 *plus* 4 and the SymSafe™ Recorders.



Digital DVRs

GE High Performance cameras work with most standard Digital Video Recorders, including our own Digia II Recorder.



Video Server

The SymNet™ family of video servers can be used to convert analog cameras to digital, and stream to either the SymSafe or SymDec Hybrid Recorders.

About GE's Security Business

GE Security, Inc., a wholly owned indirect subsidiary of the General Electric Company (NYSE: GE), is a leading supplier of security and life safety technologies, with operations in more than 35 countries and \$1.8 billion in annual revenue.

Leveraging a broad portfolio of advanced world-class technologies and best-in-class partners, GE delivers real-world, end-to-end security solutions that help protect people, assets and communities.

For additional information, please visit us online at www.gesecurity.com, or call 888-GE-SECURITY (437-3287).

GE-Security, making the world safer.

GE Security products are available through a global network of Strategic Partners, Integrators, Dealers and Distributors.



imagination at work